



青岛锦泽金属制品有限公司
QINGDAO JINZE METAL CO.,LTD

Address: No. 928, Beier Mountain Road, Lingang Economic
Development Zone, Huangdao Area, Qingdao, Shandong,
China (Mainland)

Tel: 86-532-85197222
Mobile: +86-13806428038 / 15166683339
Contact Person: Yongbin Liu
Email: qingdaojinze@163.com
jinze@163.com
Website: www.jinze-metal.com



锦泽金属



青岛锦泽金属制品有限公司
QINGDAO JINZE METAL CO.,LTD

www.jinze-metal.com

QINGDAO CHINA



锦泽金属

青岛锦泽金属制品有限公司创建于2008年，位于青岛西海岸经济新区，紧邻青岛前湾港，紧靠高速公路，距机场也仅有90公里路程。交通十分便利。

我公司是一家专业生产和销售五金和橡胶产品，手推车、轮胎、金属制品、工具车和工具的外向型企业。

公司自成立以来，始终秉承“责任、诚信、创新、致远”的经营理念，企业正在快速、稳步的发展，销售业绩持续增长。

目前，企业占地面积240,000平方米，职工150余人，工厂拥有完整的手推车生产线，所有的手推车零部件都有工厂独立生产。年产各种手推车300多万台，手推车配件和其他产品600多万件，产品销往北美，东欧，西欧，南亚，中东，南美地区。

公司始终坚持“质量第一”的生产方针，严格规范生产流程，旨在为客户提供质量安全可靠的产品。公司已通过ISO9001质量体系认证，多个产品获得CE和GS认证。



Qingdao Jinze Metal Co., Ltd was founded in 2008, is a professional export-oriented enterprise, specialized in producing and selling metal & rubber products, wheelbarrow, tires, shelf, metal and plastic products, tool carts and various tools. Since the establishment, We stick to the principle of "responsibility, Integrity, innovation and up ahead achievement". With the soar up of sales index, the enterprise is developing in a fast and stable way.

At present, the enterprise covers an area of 240,000 square meters with over 300 workers. The annual output of wheelbarrow reaches more than 3 million pieces, spare parts of wheelbarrow and other products add up to 6 million pieces. Our products are exported to more than 60 countries and regions around the globe including north America, east Europe, west Europe, south Asia, middle east, south America.

"TOP QUALITY" is always the important policy on production. We strict on the production process in order to provide safe and reliable products for our honorable clients. The enterprise has passed the ISO9001 Quantity System Certificate. Moreover, many kinds of products have acquire the CE and GS Certificate.

Welcome to vist our factory all over the world!

关于我们

ABOUT US

QINGDAO JINZE METAL CO., LTD







目录

CONTENTS

QINGDAO JINZE METAL CO.,LTD

■ 手推车	WHEEL BARROW	01-10
■ 货架	SHELF	11-11
■ 工具车	TOOL CART	12-13
■ 服务车	SERVICE CART	14-14
■ 平板车	PLATFORM HAND TRUCK	15-16
■ 货车	HAND TROLLEY	17-19
■ 气胎轮	PNEUMATIC WHEEL	20-23
■ 实心轮	SOLID RUBBER WHEEL	24-25
■ 半空心轮	SEMI PNEUMATIC WHEEL	26-26
■ PU 轮	PU FOAM WHEEL	27-30
■ 内胎	INNER TUBES	31-31
■ 包装	PACKAGE	32-32
■ 轴承	BEARING	33-33
■ 脚轮	CASTOR	34-34





WB0100

Load: 5kg
Own Weight: 3kg
Water Capacity: 10
Sand Capacity: 0.4
Wheel: 5.5"x1"
L/H/C/A/B/h: 735/390/385/490/370/98



WB0605P

Load: 10kg
Water Capacity: 20
Sand Capacity: 0.6
Wheel: 3.00-4 Air
L/H/C/A/B/h: 990/430/400/595/430/225
Carton size: 890/440/320(55)



WB1206

Load: 100kg
Own Weight: 12.45kg
Water Capacity: 47
Sand Capacity: 4
Wheel: 3.25/3.00-8
L/H/C/A/B/h: 1415/500/610/785/715/194



WB2205

Load: 120kg
Own Weight: 14kg
Water Capacity: 58
Sand Capacity: 5
Wheel: 13"x3"A
L/H/C/A/B/h: 1275/565/490/775/500/290



WB2200

Load: 120kg
Own Weight: 58
Water Capacity: 5
Sand Capacity: 5
Wheel: 13"x3" Air
L/H/C/A/B/h: 1320/540/500/770/490/240



WB2203

Load: 120kg
Own Weight: 9.8kg
Water Capacity: 58
Sand Capacity: 5
Wheel: 13"x3"A
L/H/C/A/B/h: 1310/530/505/796/550/260



WB2500

Load: 120kg
Own Weight: 58
Water Capacity: 5
Sand Capacity: 5
Wheel: 13"x3" Solid
L/H/C/A/B/h: 1320/600/600/770/490/240



WB2206

Load: 10kg
Water Capacity: 20
Sand Capacity: 0.6
Wheel: 3.00-4 Air
L/H/C/A/B/h: 990/430/400/595/430/225
Carton size: 890/440/320(55)



WB2207

Load: 130kg
Own Weight: 65
Water Capacity: 5
Sand Capacity: 5
Wheel: 3.25/3.00-8 Air
L/H/C/A/B/h: 1390/660/540/820/660/210



WB2208

Load: 150kg
Own Weight: 95
Water Capacity: 6
Sand Capacity: 6
Wheel: 3.25/3.00-8 Air
L/H/C/A/B/h: 1390/660/560/840/590/240



WB6200

Load: 120kg
Own Weight: 60
Water Capacity: 5
Sand Capacity: 5
Wheel: 3.50-8
L/H/C/A/B/h: 1380/538/600/800/647/215



WB6201

Load: 130kg
Own Weight: 10kg
Water Capacity: 65
Sand Capacity: 4
Wheel: 14"x4" A
L/H/C/A/B/h: 1430/515/527/830/680/250



WB6211

Load: 120kg
Own Weight: 60
Water Capacity: 5
Sand Capacity: 5
Wheel: 3.50-8
L/H/C/A/B/h: 1380/538/600/800/647/215



WB6400

Load: 130kg
Own Weight: 10kg
Water Capacity: 65
Sand Capacity: 4
Wheel: 14"x4" A
L/H/C/A/B/h: 1430/515/527/830/680/250



WB6400-1

Load: 130kg
Own Weight: 14.8kg
Water Capacity: 65
Sand Capacity: 5
Wheel: 14"x3.5"
L/H/C/A/B/h: 1430/515/527/830/680/250



WB6401

Load: 130kg
Own Weight: 12.2kg
Water Capacity: 75
Sand Capacity: 6
Wheel: 14"x4"A
L/H/C/A/B/h: 1490/495/545/970/551/256



WB6400H

Load: 150kg
Own Weight:
Water Capacity: 65
Sand Capacity: 5
Wheel: 4.00-8
L/H/C/A/B/h: 1405/535/535/845/685/225



WB6408

Load: 150kg
Own Weight:
Water Capacity: 65
Sand Capacity: 5
Wheel: 4.00-8
L/H/C/A/B/h: 1260/675/570/822/667/202



WB6500

Load: 130kg
Own Weight:
Water Capacity: 65
Sand Capacity: 5
Wheel: 13"x3" Solid
L/H/C/A/B/h: 1395/460/538/820/665/250



WB3800

Load: 100kg
Own Weight:
Water Capacity: 60
Sand Capacity: 4
Wheel: 13"x3" Solid
L/H/C/A/B/h: 1310/550/490/770/495/260



WB3806

Load: 100kg
Own Weight:
Water Capacity: 65
Sand Capacity: 5
Wheel: 13"x3"
L/H/C/A/B/h: 1405/540/450/820/665/250



WB6405

Load: 130kg
Own Weight: 11.6kg
Water Capacity: 65
Sand Capacity: 4
Wheel: 4.00-8
L/H/C/A/B/h: 1420/590/520/830/680/250



WB6414

Load: 160kg
Own Weight: 11.8kg
Water Capacity: 85
Sand Capacity: 5.5
Wheel: 16"x4"A
L/H/C/A/B/h: 1450/580/600/1000/600/330



WB6424T

Load: 120kg
Own Weight: 11kg
Water Capacity: 60
Sand Capacity: 4.5
Wheel: 4.80/4.00-8
L/H/C/A/B/h: 1487/560/590/905/678/267



WB6424S

Load: 150kg
Own Weight: 10.5kg
Water Capacity: 85
Sand Capacity: 5.5
Wheel: 4.00-8
L/H/C/A/B/h: 1450/585/590/946/612/325



WB6427

Load: 100kg
Own Weight: 9.6kg
Water Capacity: 55
Sand Capacity: 4.5
Wheel: 4.00-8
L/H/C/A/B/h: 1300/615/570/905/678/267



WB8900

Load: 200kg
Own Weight:
Water Capacity: 70
Sand Capacity: 4.5
Wheel: 4.00-8 Air
L/H/C/A/B/h: 1400/545/515/960/535/265



WB5204

Load: 80kg
Own Weight:
Water Capacity: 60
Sand Capacity: 5
Wheel: 3.50-6 Air
L/H/C/A/B/h: 1310/630/560/800/605/200



WB5206

Load: 100kg
Own Weight:
Water Capacity: 60
Sand Capacity: 5
Wheel: 14"x4" Solid
L/H/C/A/B/h: 1350/610/570/800/600/205



WB6080

Load: 100kg
Own Weight:
Water Capacity: 72
Sand Capacity: 5
Wheel: 3.50-6 Air
L/H/C/A/B/h: 1380/595/585/860/600/245



WB6203

Load: 150kg
Own Weight: 9.6kg
Water Capacity: 65
Sand Capacity: 4
Wheel: 13"x3"A
L/H/C/A/B/h: 1390/467/545/820/665/250



WB6203S

Load: 200kg
Own Weight: 11.7kg
Water Capacity: 65
Sand Capacity: 4
Wheel: 13"x3"A
L/H/C/A/B/h: 1440/530/575/820/665/250



WB6204

Load: 120kg
Own Weight: 8.8kg
Water Capacity: 65
Sand Capacity: 4
Wheel: 14"x4"A
L/H/C/A/B/h: 1290/545/560/820/665/250



WB6204S

Load: 120kg
Own Weight: 10kg
Water Capacity: 65
Sand Capacity: 4
Wheel: 3.25"-8A DTL
L/H/C/A/B/h: 1290/545/560/820/665/250



WB4600

Load: 100kg
Own Weight: 9.5kg
Water Capacity: 65
Sand Capacity: 4
Wheel: 4.00-8
L/H/C/A/B/h: 1555/435/565/825/585/225



WB6407AK

Load: 120kg
Own Weight: 8kg
Water Capacity: 65
Sand Capacity: 4
Wheel: 4.00-6A
L/H/C/A/B/h: 1272/636/544/813/650/210



WB6407

Load: 160kg
Own Weight: 12kg
Water Capacity: 65
Sand Capacity: 4
Wheel: 4.00-8
L/H/C/A/B/h: 1260/675/570/820/690/250



WB6211

Load: 80kg
Own Weight: 11.5kg
Water Capacity: 65
Sand Capacity: 4
Wheel: 4.00-6
L/H/C/A/B/h: 1370/650/375/820/690/250



WB6410

Load: 130kg
Own Weight: 12.5kg
Water Capacity: 65
Sand Capacity: 4
Wheel: 3.50-8
L/H/C/A/B/h: 1250/665/560/835/680/225



WB6406K

Load: 150kg
Own Weight: 11kg
Water Capacity: 85
Sand Capacity: 5
Wheel: 4.00-8A
L/H/C/A/B/h: 1215/915/447/1000/600/330



WB7201

Load: 160kg
Own Weight: 10.5kg
Water Capacity: 78
Sand Capacity: 5
Wheel: 13"x3"A
L/H/C/A/B/h: 1440/476/550/895/642/298



WB7201S

Load: 200kg
Own Weight: 12kg
Water Capacity: 78
Sand Capacity: 5
Wheel: 13"x3"A
L/H/C/A/B/h: 1440/476/550/895/642/298



WB5009

Load: 150kg
Own Weight: 13kg
Water Capacity: 75
Sand Capacity: 4.5
Wheel: 16"x4.00-8
L/H/C/A/B/h: 1425/630/555/860/600/280



WB5009H

Load: 200kg
Own Weight: 90
Water Capacity: 90
Sand Capacity: 6
Wheel: 4.00-8
L/H/C/A/B/h: 1380/620/620/875/595/275



WB6404H

Load: 150kg
Own Weight: 75
Water Capacity: 75
Sand Capacity: 5
Wheel: 4.00-8 Air
L/H/C/A/B/h: 1340/700/605/875/600/280



WB6404Z

Load: 200kg
Own Weight: 15.2kg
Water Capacity: 72
Sand Capacity: 5
Wheel: 4.80/4.00-8
L/H/C/A/B/h: 1445/595/545/897/590/290



WB5020

Load: 150kg
Own Weight:
Water Capacity: 85
Sand Capacity: 4.5
Wheel: 16" x 4.00-8 Air
L/H/C/A/B/h: 1400/575/595/905/565/270



WB4204

Load: 130kg
Own Weight:
Water Capacity: 65
Sand Capacity: 5
Wheel: 3.50-8
L/H/C/A/B/h: 1390/660/540/820/660/210



WB6601

Load: 120kg
Own Weight:
Water Capacity: 97
Sand Capacity: 6
Wheel: 4.80/4.00-8
L/H/C/A/B/h: 1475/550/520/980/645/316



WB6608

Load: 220kg
Own Weight:
Water Capacity: 100
Sand Capacity: 7
Wheel: 4.00-8
L/H/C/A/B/h: 1465/520/550/980/645/316



WH7808

Load: 160kg
Own Weight: 19.5kg
Water Capacity: 100
Sand Capacity: 7
Wheel: 4.00-8
L/H/C/A/B/h: 1510/580/550/980/635/335



WH7802

Load: 150kg
Own Weight: 19.5kg
Water Capacity: 100
Sand Capacity: 7
Wheel: 6.50-8
L/H/C/A/B/h: 1530/590/530/1015/680/335



WH4688

Load: 150kg
Own Weight: 14kg
Water Capacity: 86
Sand Capacity: 5
Wheel: 4.00-8
L/H/C/A/B/h: 1560/600/550/920/660/220



WH8604

Load: 200kg
Own Weight: 22.5kg
Water Capacity: 100
Sand Capacity: 7
Wheel: 6.50-8
L/H/C/A/B/h: 1535/480/545/980/635/335



WB8612

Load: 200kg
Own Weight:
Water Capacity: 100
Sand Capacity: 7
Pneumatic Wheel: 6.50-8
L/H/C/A/B/h: 1510/605/590/998/715/335



WB8614

Load: 200kg
Own Weight:
Water Capacity: 100
Sand Capacity: 7
Wheel: 6.50-8
L/H/C/A/B/h: 1515/525/520/980/633/296



WH8805

Load: 200kg
Own Weight:
Water Capacity: 100
Sand Capacity: 7
Wheel: 4.00-8
L/H/C/A/B/h: 1490/545/520/980/645/316



WH8806

Load: 210kg
Own Weight:
Water Capacity: 120
Sand Capacity: 8
Wheel: 4.00-8
L/H/C/A/B/h: 1505/580/580/980/655/335



WB9600

Load: 180kg
Own Weight:
Water Capacity: 130
Sand Capacity: 10
Wheel: 4.00-8
L/H/C/A/B/h: 1575/575/540/1100/885/478



WB3087

Load: 150kg
Own Weight:
Water Capacity: 180
Sand Capacity: 7
Wheel: 4.00-8
L/H/C/A/B/h: 1415/590/430/1145/715/355



WB3089

Load: 150kg
Net Weight:
Water Capacity: 260
Sand Capacity: 12
Wheel: 20"x2.125"
L/H/C/A/B/h: 1440/590/430/1215/870/440





XT1000 Off Road Trailer

MAX LOAD:500KG
WHEEL: TYPELESS 16*7.50-8
TRAY SIZE: L1420*W762mm*H311mm
OVERALL SIZE: L2140mm*W1213mm

XT1500 Off Road Trailer

MAX LOAD:500KG
WHEEL: TYPELESS 18*8.50-8
TRAY SIZE: L1420*W762mm*H380mm
OVERALL SIZE: L2140mm*W1213mm*H737mm

WB3901

Load: 300kg
Own Weight: 19.9kg
Water Capacity: 260L
Wheel :4.80/4.00-8
L/H/C/A/B/h: 1630*720*600/1140/710/440mm



WB3088

Load: 300kg
Own Weight: 19.9kg
Water Capacity: 280L
Wheel :4.80/4.00-8
L/H/C/A/B/h: 1630*720*600/1140/710/440mm



WB4206

Load: 150kg
Own Weight: 19.9kg
Water Capacity: 75L
Wheel :3.50-8 AIR
L/H/C/A/B/h: 1630*720*600/1140/710/440mm



Popular Size(mm) of New Boltless Shelf / Load capacity 175kg/280kg				Popular Size (mm) Of Teardrop Boltless Shelf / Load capacity 175kg /280kg			
Layers	Size	Layers	Size	Layers	Size	Layers	Size
5	180*90*40	5	180*120*50	5	183*90*40	5	183*100*50
5	180*90*45	5	180*80*30	5	183*90*45	5	183*100*45
5	180*90*30	5	150*70*30	5	183*90*30	5	183*120*50
5	180*90*50	5	170*75*30	5	183*90*50	5	183*80*30
5	180*90*60	5	170*70*30	5	183*90*60	5	153*70*30
5	200*90*60	4	220*90*45	5	203*90*60	5	173*75*30
5	180*120*45	4	150*70*30	5	183*120*45	5	173*70*30
5	180*120*40	2	160*80*40	5	183*120*40	5	223*90*45
5	180*120*50	2	120*90*60	5	183*120*50	4	153*70*30
5	180*120*60	2	90*90*60	5	183*120*60	4	163*80*40
5	180*100*60	2	120*120*60	5	183*100*60		
5	180*100*50	3+2	180*100*60/100*30				
5	180*100*45	Tips: Layers adjustable by yourself					



A



B



T49
BOLTLESS METAL SHELF 3 LAYERS

SIZE (L x W x H) : 1200 x 700 x 900mm



T53
BOLTLESS METAL SHELF 4 LAYERS

SIZE (L x W x H) :
1200 x 400 x 1800mm; 900 x 300 x 1800mm
900 x 400 x 1800mm; 900 x 450 x 1800mm
900 x 500 x 1800mm



T51
BOLTLESS METAL SHELF 2 LAYERS

SIZE (L x W x H) : 1200 x 600 x 900mm



T20 BOLTLESS METAL SHELF 5 LAYERS

SIZE (L x W x H) :
700 x 300 x 1500mm; 900 x 300 x 1800mm
900 x 400 x 1800mm; 900 x 450 x 1800mm
900 x 500 x 1800mm; 1200 x 450 x 1800mm

TC1840

Load: 700kg
Own Weight: 37kg
Pneumatic Tyre: 13 x 5.00-6
L x W1 x H (mm): 1235 x 615 x 1035



TC1840A

Load: 300kg
Own Weight: 28kg
Pneumatic Tyre: 3.50-4
L x W1 x H (mm): 1865 x 520 x 570



TC4206

Load Capacity: 320kg
Wheel: 10" x 3.50-4 Air
Body Size: L1010 x W500 x H980
QTY: 770PCS/40' GP



TC4211A

Load Capacity:
Wheel: 10" x 3.50-4 Air
Body Size: L1240 x W550 x H980
QTY: 580PCS/40' GP



TC4219

Load Capacity: 100kg
Wheel: 6" x 2" Air
Body Size: L965 x W505 x H355
QTY: 620PCS/40' GP



TC1800

Load: 150kg
Own Weight: 14kg
Pneumatic Tyre: 10" x 3.5"
L x W1 x H (mm): 995 x 495 x 865



TC1812

G.W: 16.5kg
N.W: 17.5kg
Wheel type: 3.00-4 Air
Tray size (mm): 935 x 600 x 570
Carton size (mm): 890 x 455 x 225
QTY: 720pcs/40HQ





TC9700G

Material: steel frame
Loading(Lbs./kg): 440/200
Wheel: 10" x 3.50-4
Tray Size(L x W x Dmm): 930 x 610 x 210
Body Size(LWHmm): 1041 x 610 x 920/500
Capacity(CU.Feet/Liter): 5.0/10.0



TC2135 Dump CART 125L

Load capacity: 300kg
Wheel: 13" x 5.00-6
Hopper dimensions: L106 x W59 x 28.5cm

TC01001

Tray size: L x W x H1: 850 x 500 x 280mm
Body size: total L2 x W2 x H2: 1000 x 500 x 1000mm
Wheel size: 8" x 1.75" solid



SC1240

Load(kg): 100
Size(mm): L835 x W410 x H765
Tray Size: L765 x W410 x 90
Caster: 4in PP



SC1350

Load(kg): 100
Wheel: 5" Solid
Body Size: L840 x H410 x C820



SC5243

Load(kg): 100
Wheel: 4" Solid
Body Size: L755 x H415 x C875




SC4100

Load(kg): 100
Wheel: 3" Solid
Body Size: L780 x H480 x C880



SC5342

Load(kg): 100
Wheel: 4" Solid
Body Size: L830 x H430 x C870



PH3012

Load(kg): 300
Size(mm):
L890 x W595 x H840 x h180
Caster: 5in Mute wheel(Ball bearing)



PH1511P-1

Load(kg): 150
Size(mm):
L720 x W475 x H820 x h145
Caster: 4in PP



PH1511P-2

Load(kg): 150
Size(mm):
L720 x W475 x H820 x h145
Caster: 4in Mute wheel(Ball bearing)



PH300

Load(kg): 300
Size(mm):
L900 x W590 x H840 x h180
Caster: 5in Mute wheel(Ball bearing)



PH1007

Load(kg): 100
Size(mm):
L890 x W395 x H795 x h160
Caster: 4in PP



PH3011

Load(kg): 300
Size(mm):
L900 x W590 x H945 x h280
Caster: 8"2.50-4 Pneumatic tyre



PH153


Load(kg): 100
Size(mm):
L725/500 x W415 x H845 x h165
Caster: 4in PP



PH150

Load(kg): 150
Size(mm):
L725 x W460 x H820 x h135
Caster: 4in PP





HT1105

Load(kg): 90
Wheel: 6" x 1.5" Solid
Body Size(LxW.xH)(MM):
1110 x 400 x 410
Own Weight(kg): 6.8
Toe plate Width(W₂)(mm): 240



HT1805

Load(kg): 200
Wheel: 10" x 3.5" Air
Body Size(LxW.xH)(MM):
1310 x 550 x 460
Own Weight(kg): 11
Toe plate Width(W₂)(mm): 220



HT1426

Load(kg): 100
Wheel: 10" x 3.00-4 Air
Body Size(LxW.xH)(MM):
1142(790) x 422 x 524
Own Weight(kg): 12
Toe plate Width(W₂)(mm): 285



HT1827

Load(kg): 250
Wheel: 10" x 3.5" Air
Body Size(LxW.xH)(MM):
1249 x 650 x 578
Own Weight(kg): 16.5
Toe plate Width(W₂)(mm): 325



HT1825

Load(kg): 200
Wheel: 10" x 3.5" Air
Body Size(LxW.xH)(MM):
1200 x 590 x 520
Own Weight(kg): 19.5
Toe plate Width(W₂)(mm): 245



HT1830

Load(kg): 200
Wheel: 10" x 3.5" Air
Body Size(LxW.xH)(MM):
1120 x 545 x 435
Own Weight(kg): 10.25
Toe plate Width(W₂)(mm): 185



HT1922

Load(kg): 200
Wheel: 10" x 2.5" Solid
Body Size(LxW.xH)(MM):
1688 x 505 x 418
Own Weight(kg): 18.2
Toe plate Width(W₂)(mm): 225



HT2500AB

Load(kg): 80
Wheel: 10" x 3.00-4 Air
Body Size(LxW.xH)(MM):
1175 x 520 x 535
Own Weight(kg): 10.3
Toe plate Width(W₂)(mm): 270



HT1311(HT1310B)

Load(kg): 120
Weight(kg): 18.8
Solid Tyre: 6.5" x 1.75"
Body Size(LxW.xH)(mm):
1300 x 517 x 595



HT1312

Load(kg): 75
Weight(kg): 16.2
Solid Tyre: 6.5" x 1.75"
Body Size(LxW.xH)(mm):
1160 x 605 x 780



HT2401

Load: 270kg
Own Weight: 15.6kg
Pneumatic Tyre: 13" x 4"
Body Size(L x W1 x H)mm:
1308 x 565 x 590
Toe Plate Width(mm): 225





- Model: **FW-70**
(Aluminum folding hand truck)
- Load(kg): 70
- Size(mm):
L280 x W390 x H640/900/1000
- Spading Plate Size: L390 x W280
- Caster: 5in Mute wheel(Ball bearing)



- Model: **FW-90**
(Folding hand truck)
- Load(kg): 90
- Size(mm):
L280 x W390 x H760/1000
- Spading Plate Size: L390 x W280
- Caster: 5in Mute wheel(Ball bearing)





PR 1804
10" x 3.50-4



PR 1806
10" x 3.50-4



PR 1807
10" x 3.50-4



PR 1810
10" x 3.50-4



PR 1812
10" x 3.50-4



PR 1814
10" x 3.50-4



PR 1815
10" x 3.50-4



PR 1816
9" x 3.50-4



PR 1817
10" x 3.50-4



PR 1809
10" x 4.00-4



PR 2100
13" x 4.10/3.50-6



PR 2101
13" x 4.10/3.50-6



PR 2402-1
13" x 4.00-6



PR 2403-1
13" x 4.00-6



PR 2403-3
13" x 4.00-6



PR 2406
13" x 4.00-6



PR 1300
13" x 5.00-6



PR 2300
13" x 5.00-6



PR 2406-1
13" x 5.00-6



PR 2407-1
13" x 5.00-6



PR 3009
15" x 6.00-6



PR 3009-1
15" x 6.00-6



PR 2400
13" x 3.00-8



PR 2401
13" x 3.00-8



PR 2401-1
13" x 3.00-8



PR 2601-1
14" x 3.50-8



PR 2602
14" x 3.50-8



PR 2603
14" x 3.50-8



PR 2603-1
14" x 3.50-8



PR 2605
14" x 3.50-8



PR 2606
14" x 3.50-8



PR 2607
14" x 3.50-8



PR 2200
3.50-7



PR 2200-2
3.50-7



PR 3000
16" x 4.00-8



PR 3002
16" x 4.00-8



PR 3003
16" x 4.00-8



PR 3004
16" x 4.00-8



PR 3004-1
16" x 4.00-8



PR 3004-2
16" x 4.00-8



PR 3006-1
16" x 4.00-8



PR 3011
16" x 4.00-8



PR 3011-1
16" x 4.00-8



PR 3013
16" x 4.00-8



PR 3015
16" x 4.00-8



PR 3018
16" x 4.00-8



PR 3017
16" x 4.00-8



PR 3017-1
16" x 4.00-8



SR 0901
5" x 1.3"



SR 0902
5" x 1.3"



SR 1102
6" x 1.5"



SR 1104
6" x 1.4"



SR 1125
6" x 1.5"



SR 1126
6" x 2"



SR 1300
7" x 1.5"



SR 1303-1
7" x 1.5"



SR 1303-2
7" x 1.5"



SR 1501
8" x 1.75"



SR 1501A
8" x 1.75"



SR 1502
8" x 1.75"



SR 1512
8" x 2.2"



SR 1523
8" x 2"



SR 1524
8" x 2"



SR 1527
8" x 1.75"

实心轮
SOLID RUBBER WHEEL



SR 1529
8" x 1.75"



SR 1901
10" x 2.5"



SR 1904
10" x 1.75"



SR 1905-1
10" x 2.5"



SR 1906
10" x 2"



SR 1907
10" x 1.75"



SR 2300
12" x 2"



SR 2500
13" x 3"



SR 2500A
13" x 3"



SR 2700-2
15" x 4"



SR 2701A
14" x 4"



SR 1200
6" x 2"



SR 1400
2.50-4/10x2.5"



SR 1800
3.50-4



PW3010-4
10" x 2.75"



PW 3013
13" x 3"

半空心轮
SEMI PNEUMATIC WHEEL



EW 1802
6"x1.5", 7"x1.5", 8"x1.75"



EW 1806
8" x 1.75" 10" x 1.75"



EW 1809
7" x 1.5" 8" x 1.75"



EW 1810
8" x 2"



EW 1811
8" x 2"



EW 1818
8" x 2.5"



EW 1907
10" x 1.5" 10" x 1.75"



EW 1917
10" x 1.75"



EW 1920
8" x 2.75" 10" x 2.75"



EW 1921
10" x 2.75"



EW 1927-1
10" x 3.00-4



EW 1930
12" x 1.75"



SR 1512
8" x 2.2"



EW 2301
10" x 2.75" 12" x 2.75"



EW 2503
16" x 1.75"



JZ 1001PU
6" x 2"



JZ 1002PU
6" x 2"



JZ 1003PU
6" x 2.50-4



JZ 1004PU
2.80/2.50-4



JZ 1005PU
2.50-4



JZ 1006PU
2.50-4



JZ 1007PU
200 x 50



JZ 1008PU
200 x 50



JZ 1009PU
3.50-6



JZ 1010PU
3.00-4



JZ 1011PU
125 x 50



JZ 1012PU
4.00-8



JZ 1013PU
12" x 2"



JZ 1014PU
12" x 2"



JZ 1015PU
14" x 1.75"



JZ 1016PU
16" x 1.75"



JZ 1017PU
20" x 2.125"



JZ 1018PU
260 x 70



JZ 1019PU
260 x 85



JZ 1020PU
3.50-5



JZ 1021PU
3.25-8



JZ 1022PU
13" x 5.00-6



JZ 1023PU
8" x 2.50-4



JZ 1024PU
10" x 3.50-4



JZ 1025PU
3.50-4



JZ 1026PU
4.10/3.50-4



JZ 1027PU
3.50-4



JZ 1028PU
3.50-4



JZ 1029PU
3.50-5



JZ 1030PU
260



JZ 1031PU
300



JZ 1032PU
400



JZ 1033PU
4.00-6





『 INNER TUBES 』



『 VALVES 』



Model	Model
2.75-21	100/90-19
4.00-19	90/100-19
3.75-19	80/100-19
3.25-19	80/90-19
3.00-19	60/100-19
2.75-19	120/90-18
2.25-19	110/100-18
2.00-19	100/100-18
4.50-18	90/100-18
4.10-18	90/90-18
3.75-18	80/100-18
3.50-18	80/90-18
3.25-18	70/90-18
3.00-18	60/100-18
2.75-18	110/100-17
2.50-18	90/100-17
2.25-18	80/100-17
4.50-17	80/90-17
3.25-17	70/90-17
3.00-17	60/100-17
2.75-17	90/100-16
2.50-17	80/100-16
2.25-17	80/90-16
2.00-17	70/90-16
3.50-16	60/100-16
3.25-16	110/80-14
3.00-16	80/100-14
2.75-16	70/100-14
2.50-16	70/90-14
2.25-16	60/100-14
3.50-15	80/100-12
3.00-14	90/100-12
2.75-14	80/100-10
2.50-14	70/100-10
2.25-14	60/100-10
130/60-13	6.50-8
3.00-12	4.00-8
4.00-10	3.50-8
3.50-10	3.25-8
3.00-10	3.50-7
2.75-10	6.50-6
2.50-10	6.00-6
80/100-21	5.00-6
80/90-21	3.50-6
110/90-19	3.50-5
100/100-19	2.50-4





BALL BEARING



D: 2022Z
D: 35; 15 H; 11
62032Z
D: 35; 15 H; 25 H; 15
63042Z
D: 52; 20; 20 H; 11
63052Z
D: 47; 20; 20 H; 14
62052Z
D: 35; 15 H; 25 H; 15
63072Z
D: 80; 35 H; 21
63082Z
D: 72; 35; 15 H; 17
60072Z
D: 32; 12 H; 12
2017Z
D: 35; 100 H; 11
62002Z
D: 30; 10 H; 9
60002Z
D: 26; 10 H; 11
62042Z
D: 56; 30 H; 11
60052Z
D: 42; 20 H; 12
60042Z
D: 35; 17 H; 8
63012Z
D: 37; 12 H; 12
63022Z
D: 42; 15 H; 13
63032Z
D: 47; 17 H; 14

凸溜37-16
 D:35 d:16 H₁:11 H₂:13
 凸溜37-192RS
 D:35 d:19 H₁:9 H₂:12
 凸溜37-15
 D:35 d:15 H₁:11 H₂:13
 60-16
 D:35 d:16 H:11
 60-19
 D:35 d:19 H:11
 凸溜37-20
 D:35 d:20 H₁:9 H₂:11
 凸溜37-12.7
 D:35 d:12.7 H:11 H₂:13

206		
D:62	d:30	H:16
305		
D:62	d:25	H:17
205		
D:52	d:25	H:15
304		
D:52	d:20	H:15
204ZZ		
D:47	d:20	H:14
203		
D:40	d:17	H:12
6302		
D:42	d:15	H:13
202		
D:35	d:15	H:11
301		
D:37	d:12	H:12
201		
D:32	d:12	H:10
6003		
D:35	d:17	H:10
6200		
D:30	d:10	H:9
6300		
D:35	d:10	H:11


高麗凸箔28.6-12
D:28.6 d:12 H₁:9.3 H₂:20
高麗凸箔35-15.8
D:35 d:15.8 H₁:11 H₂:18
高麗凸箔35-15.8
D:35 d:15.8 H₁:11.1 H₂:30.3
高麗凸箔46-20
D:45.6 d:20 H₁:12 H₂:18.7
高麗凸箔51-25
D:51 d:25 H₁:12 H₂:18.7
凸箔高麗包皮35-12
D:35.2 d:12.6 H₁:10.2 H₂:26.4

AXLE



Nylon bushings are ideal for situations where metal bushings are not feasible. These bushings are an excellent alternative in wash-down environments, and are more economical than powdered bushings or ball bearings.

◆Tel: 86-532-85197222 ◆Website: www.jinzemetal.com



Fitting wheels: 3 1/2", 4", 5", 6", 8".

Detailed specification, please contact with us.

◇Email: qingdaojinze@163.com / jinzemetal@163.com